Appl. No. : 10/539,687 Filed : July 14, 2005

LISTING OF CLAIMS ((No amendments have been made)

- 1. (Canceled)
- 2. (Canceled)
- 3. (Canceled)
- 4. (Canceled).
- 5. (Canceled)
- 6. (Canceled)
- 7. (Canceled)
- 8. (Canceled)
- 9. (Previously presented) A liquid toner digital press imaging system comprising a liquid toner digital press imaging composition and a printable substrate, wherein the imaging composition comprises a fine particulate toner dispersed in a liquid vehicle together with a binder, and a security ingredient which is a reactant, wherein the printable substrate carries a complementary reactant, wherein said dispersed particulate toner can be applied to the printable substrate to form a toner image, wherein the reactant is reactable with a complementary reactant to produce a recognizable security feature that is detectably retained in or on the substrate in the event of fraudulent alteration or removal of the toner image.
- 10. (**Previously presented**) A liquid toner digital press imaging system comprising a liquid toner digital press imaging composition and a printable substrate, wherein the imaging composition comprises a fine particulate toner dispersed in a liquid vehicle together with a binder, and a security ingredient which is a reactant, wherein the printable substrate carries a complementary reactant, wherein said dispersed particulate toner can be applied to the printable substrate to form a toner image, wherein the reactant reactable with the complementary reactant to produce a recognizable security feature that is detectably retained in or on the substrate in the

Appl. No. : 10/539,687 Filed : July 14, 2005

event of fraudulent alteration or removal of the toner image, wherein said security feature comprises a colored, fluorescent or chemically-detectable image having the same configuration as the toner image.

- 11. (**Previously presented**) A liquid toner digital press imaging system as claimed in claim 10, wherein when the security ingredient is a colorless chromogenic material of the kind used for image generation in pressure-sensitive copying papers, the printable substrate carries a color developer of the kind used in such papers for developing the color of the chromogenic material.
- 12. (**Previously presented**) A liquid toner digital press imaging system as claimed in claim 11, wherein the color developer is incorporated inside the substrate.
- 13. (Previously presented) A liquid toner digital press imaging system as claimed in claim 12, wherein the color developer is selected from the group consisting of acid-washed montmorillonite clays, phenolic-resins, organic acids or metal salts thereof, salicylated phenolic resins, and mixtures thereof.
- 14. (**Previously presented**) A liquid toner digital press imaging system as claimed in claim 9, wherein the printable substrate carries sensitizers or other conventional security chemicals.
- 15. (**Previously presented**) A liquid toner digital press imaging system as claimed in claim 9, wherein the substrate is a natural paper or a synthetic paper.
- 16. (**Previously presented**) An anticounterfeiting method against fraudulent alteration or removal of an image produced by a toner on a substrate, comprising applying an imaging composition to a printable substrate using a liquid toner digital press imaging system, wherein the imaging composition comprises a fine particulate toner dispersed in a liquid vehicle together with a binder, and a security ingredient which is a reactant, wherein the printable substrate carries a complementary reactant, wherein said dispersed particulate toner is applied to a printable substrate to form a toner image, wherein the reactant reacts with the complementary reactant carried by the printable substrate to produce a recognizable security feature comprising a

Appl. No. : 10/539,687 Filed

July 14, 2005

detectable reaction product that is retained on the substrate in the event of fraudulent alteration or removal of the toner image.

- (Previously presented) A liquid toner digital press imaging system as claimed in 17. claim 9, wherein the security ingredient is colorless.
- 18. (Previously presented) A liquid toner digital press imaging system as claimed in claim 9, wherein the security ingredient is absorbed and/or wicked away by the substrate so as to produce a "halo" effect around the periphery of the toner image and/or an image on the opposite surface of the substrate.
- (Previously presented) A liquid toner digital press imaging system as claimed in 19. claim 17, wherein the security ingredient is a colorless chromogenic material of the kind used for image generation in pressure-sensitive copying paper.
- 20. (Previously presented) A liquid toner digital press imaging system as claimed in claim 19, wherein the colorless chromogenic material is selected from the group consisting of (1-n-octyl-2-methylindol-3-yl) phthalide or 3,3-bis(4-dimethylaminophenyl)-6dimethylaminophthalide, 3-diethylamino-6-methyl-7-(2´,4´-dimethylanilino) fluoran or 3diethylamino-7-dibenzylaminofluoran, and mixtures thereof.
- 21. (Previously presented) A liquid toner digital press imaging system as claimed in claim 9, wherein the security ingredient is a magnetic or conductive material.
- 22. (Previously presented) A liquid toner digital press imaging system as claimed in claim 9, wherein more than one security ingredient is present.
- 23. (Previously presented) The method of claim 16, wherein when the security ingredient is a colorless chromogenic material of the kind used for image generation in pressuresensitive copying papers, the printable substrate carries a color developer of the kind used in such papers for developing the color of the chromogenic material.
- 24. (Previously presented) The method of claim 23, wherein the color developer is incorporated inside the substrate.

Appl. No. : 10/539,687 Filed : July 14, 2005

25. (**Previously presented**) The method of claim 24, wherein the color developer is selected from the group consisting of acid-washed montmorillonite clays, phenolic-resins, organic acids or metal salts thereof, salicylated phenolic resins, and mixtures thereof.

- 26. (**Previously presented**) The method of claim 16, wherein the printable substrate carries sensitizers or other conventional security chemicals.
- 27. (**Previously presented**) The method of claim 16, wherein the substrate is a natural paper or a synthetic paper.
- 28. (**Previously presented**) The method of claim 16, wherein the security ingredient is colorless.
- 29. (**Previously presented**) The method of claim 16, wherein the security ingredient is absorbed and/or wicked away by the substrate so as to produce a "halo" effect around the periphery of the toner image and/or an image on the opposite surface of the substrate.
- 30. (**Previously presented**) The method of claim 28, wherein the security ingredient is a colorless chromogenic material of the kind used for image generation in pressure-sensitive copying paper.
- 31. (**Previously presented**) The method of claim 30, wherein the colorless chromogenic material is selected from the group consisting of 3,3-bis (1-n-octyl-2-methylindol-3-yl) phthalide or 3,3-bis(4-dimethylaminophenyl)-6- dimethylaminophthalide, 3-diethylamino-6-methyl-7-(2´,4´-dimethylanilino) fluoran or 3-diethylamino-7-dibenzylaminofluoran, and mixtures thereof.
- 32. (**Previously presented**) The method of claim 16, wherein the security ingredient is a magnetic or conductive material.
- 33. (**Previously presented**) The method of claim 16, wherein more than one security ingredient is present.